

USB Floppy Disk Drive
User's Guide

Recommended System Requirements

Macintosh Computer

- Apple iMac , iBook or Power Macintosh G3 or G4 with a US port, 32MB of RAM, and a hard drive with 1MB of free space
- Mac OS8.6 or latter

Windows PC

- IBM PC-compatible, Pentium 133 Mhz or higher, and CD-ROM Drive
- Windows 98, 2000 or Millennium

Package Contents

- USB Floppy Disk Drive
- USB A to B interface cable
- User's Guide
- Driver CD

Attention


- Use only USB hubs that feature AC power adapter.
- Do not strike, drop, or otherwise impact the USB Floppy Disk Drive.
- You can plug the USB cable into a USB port while the computer is turned on.
- Before you disconnect the cable from the USB port, remove the floppy disk from the drive.

Windows PC Installation

Follow these steps to connect the USB Floppy Disk Drive to your Windows computer and install the driver software

① For Windows 98

1. Turn on your PC.
2. Plug the USB Floppy Disk Drive cable in to a USB port of your PC.
The System will automatically detect the drive and displays the **Add New Hardware Wizard**.
3. Click at the "Next" Button.



4. Click the " Search for the best drivers for your device.(Recommended)", then click the " Next" button.



5. Insert the USB Floppy Device Driver CD into the PC's CD-ROM drive.

6. Click to Specify a location "**D:WIN98**" as the location of the driver software, then click at the "Next" button.
D: is the Drive letter of your PC's CD-ROM which contain the device driver CD disk..



7. Windows will note you that Windows is ready to install driver, Click at "Next" button to continue.
..




8. Click at the "Finish" button to finish the USB Floppy Driver installation.



9. A floppy icon will then appear on the my Computer folder, after finishing install the device drive.

② **For Windows 2000**


1. Turn on your PC.
2. Plug the USB Floppy Disk Drive cable in to a USB port of your PC.
The System will automatically detect the drive and display the "**Found New Hardware Wizard**".
3. Click at the "Next" Button.



4. Click the "Search for the best drivers for a suitable driver for my device.(Recommendes)", then click the "Next" button.



6. Click to "Specify a location" and click at "Next" button. **"D:WIN98"** as the location of the driver software, then click at the "Next" button. **D:** is the Drive letter of your PC's




7. **"D:WIN2K"** as the location of the driver software, then click at the "OK" button. **D:** is the Drive letter of your PC's CD-ROM which contain the device driver CD disk..



8. Windows will note you that Windows is ready to install driver, Click at "Next" button to continue.

..



9. Windows will note you that Windows has finished installing the software for USB floppy drive, Click at "Finish" button to close this wizard.



10. A floppy icon will then appear on the my Computer folder, after finishing install the device drive.

3 For Windows Millennium

1. Turn on your PC.
2. Plug the USB Floppy Disk Drive cable in to a USB port of your PC.
The System will automatically detect the drive and display the "**Found New Hardware Wizard**".
3. Click at the "Next" Button.



4. Click the "Search for the best drivers for your device.(Recommended)",



5. select the Specify a location, and type the "**D:WIN2K**" as the location of the driver software, then click at the "Next" button.
D: is the Drive letter of your PC's CD-ROM which contain the device driver CD disk..

6. Windows will note you that Windows is ready to install driver, Click at "Next" button to continue.

..



7. Windows will note you that Windows has finished installing the software for USB floppy drive, Click at "Finish" button to close this wizard.



8. A floppy icon will then appear on the my Computer folder, after finishing install the device drive.

4 For Macintosh Computer Installation

1. Mac OS8.6

Using the USB floppy at Mac OS 8.6 you need to update the Mass Storage Device Support driver, Version 1.3.5 from www.apple.com. For more information please read the **MACUSER.HTM** at the folder of Mac of USB Floppy Disk Driver CD.

2. Mac Os9

At Mac Os9, do not need to install any driver. The required driver is already embedded within the Mac OS.

3. Ejecting Floppy Disks (Macintosh Only)

- Click the floppy disk icon one to highlight the icon.
- Select "Eject" from the "Special" menu, or "Put Away" from the "File" menu. (Alternatively, you can drag the floppy disk icon to the Trash)
- Wait for the status indicator led on the front panel of the USB Floppy Disk Drive to turn off.
- Push the eject button on the front panel of the USB Floppy Disk Drive to eject the floppy disk.

4. Remounting unmounted volumes

To mount or remount a USB mass storage volume on the Desktop, unplug and replug the device that contains the volume into a USB port on the computer, or into a hub attached to the computer. The volume should appear on the desktop in a few seconds. If the device uses removable media, the volume will not appear until the removable media is reinserted into the mass storage device.

Specifications

Model	
System Requirement	iMac, iBook, G3 or G4 with USB port IBM pc compatible with USB port
Operation System	Mac OS 8.6 or later Windows 98, Windows 2000 and Windows Me
Data Capacity	1.44MB
USB Transfer Rate	12Mb/sec
Disk Type	2HD
Power Requirements	DC +5V from USB cable
Dimensions	155Lx101Wx17H(mm)
Weight	240g